App.F.IX-4]

1925-26 (Mc) File No. 72-25

Previous References.
Ejn 302-12-25
Mc 152-22-1926
Mc 69-11-1925

Later references.
Mc 60-1681-2

Serial Nos. 1&4

GENERAL & REVENUE SECRETARIAT

Serial Nos.

Part B for November 25

SUBJECT

Free allowance of water & payment of excess water charges thereby certain palace properties

Nos 3840-3 dt 20/11/25 Govt order

Approves the proposal of the Executive Engr with the 2 modifications suggested by the Chief Engr

G R.S 11] 1923-24

GENERAL AND REVENUE SECRETARIAT

(Rud)

NOTES

File No. 148-23

FILE HEADING.

Free Allowance of water to Certain Palace properties

From

The Huzur Secretary to H H the Maharaja of Mysore

No. 3769 Dated 21 5 24 Received 22 5 24

Diary No.	6425 Enclos 2 Spare Copies.	Serial No. 1

BRIEF ABSTRACT OF LETTER.

Requests that the lists now sent may be substituted for ones appended to Go No L 6820-6/Rud 89-21-5 dt 22/5/24 regarding the procedure to be adopted in the matter of the free allowance of water or payment of excess water charges, to by Certain Palace properties

NOTES AND ORDERS

The Chief Engr may be consulted unofficially

2) Subd for orders

dt 24/5/24 22

L L L Secy

3) How does the Rud Act Compare with the Rs? 25/5/24

Notes—First Sheet.

General and Revenue Secretariat. | Ind File No. 48 of 1923.

Serial No.

4) The lists A & B now sent up include buildings not made mention of in the statements appended to the G.O of 1922. It is not possible to say if some of them have been given new names. There is also a change in the total quantity of free allowance, allowed to certain buildings. Certain temples and Dharmasalas, which do not find a place in the G.O of 22, are included at present. Under these circumstances, no comparison can be drawn between the old & the new lists. P.W.D explains that the lists are brought up to date. Subs for orders.

5) [illegible]

orders.

30/5/24.

6) The Executive Secretary states that all the properties shown in the lists forwarded have the benefit of the total exemption of taxes and that the list includes properties which ought to have been included in the former list but omitted through. The total quantity of free allowance was fixed formerly by the Govt Secretariat. A detailed

Note—Contn. sheet.

Q. R. S. III-21

General and Revenue Secretariat.

Red File No. 148 of 1923.

Serial No

The Hon'ble Minister requested that the papers may be sent for scrutiny as the figures of the allowances entered against each of the Revenue Officers on the proposal

Land Revenue) 7) Yes 21/5

Forest Dept) 2/6

8) Forwarded with compliments to the Chief Engr of Mysore for favour of remarks -

K. V. Seshadri
P.W. Secretary
4.6.24

P.W.D. No 65 Dt 4-6-24 Recommend 3 Febs

W.D. No. 162 Dt 6.6.24

Mr 5/6/24

Note—Contin. sheet.

O No 3/7hm

Public Works Secretariat | Mcl File No 168 of 1923

4)

65

U O No 4958/1-7/24 | Serial No

9) Returned with compliments

10) 2 The free allowances proposed in List No I(A) are correct according to the rental values noted against each building which, in many cases are higher than those fixed in 1922 For the Palace office Block a free allowance of 600,000 gallons per month is shown in the list which is abnormally high, and nearly twice the quantity fixed for the New Palace itself The actual consumption is reported to be about 125,000 gallons per month and this quantity may be fixed as free allowance to this building

11) 3 The free allowance noted for all the residential buildings in List No II(B) is not more than 15,000 gallons per month, except in the case of only one building i e , "Rana Terrace" for which 30,000 gallons is proposed and may be granted

12) 4 The increased quantity of free allowance proposed to be granted can be given effect to only from 1st July 1924 and not earlier, as otherwise, all the accounts will then have to be recast, Ledgers rewritten and bills revised involving considerable labour and confusion in accounts

(Sd) [illegible]
1 7 24
Chief Engineer of Mysore

Bangalore,
9
July 1924

Note—Contn sheet

5)

Public Works and Electrical Secretariats | Ord File No. 148 of 1923.

Serial No.

Pub Ad 67 8/16-8-24
Pub S

13) Returned, with compliments, and with the remarks of the Chief Engineer

to the Secretary to Govt. Legislative Dept.

14) The statement now prepared trnsfers several buildings to list A so that the charges on General Administration on account of excess water charges will be increased. There does not seem any reason for the exclusion of the temples 46, 47, 48 and 49 in the list as according in Government Order No R 8866/24-19-3 Dated 5-8-24 water is to be given free to these temples. I think the temples may be omitted in the list of increased free allowances now put in.

Chap 9

15) The Chief Engineer points out that in the case of Palace Office blocks the consumption is much smaller than the free allowance put in and that the free allowance may be reduced to 1,25,000. He also proposes that the increased free allowance proposed may be given effect to from 1st July 1924. I agree with him in regard to these suggestions.

K G Desikachar

Secretary to Government,
Public Works Department.

Dated camp, K R Sagara,
10th August 1924.

To
2 Stitched Sanctions
1 Jagged Sanction

3-0
148

Note—Contin. sheet.

WD 2468—SPB—2,000 copies 20-6-24

G. R. S. III 9]

General and Revenue Secretariat.

File No. 148 of 1923.

Serial No.

(a) may be the opinion of the Chief Engr be communicated to the Municipal Secretary before drafting a G.O. Public for orders

Sir [illegible] I am to say)

(b) The Municipal Secretary may be requested accordingly.

(c) Forwarded respectfully to the Municipal Secretary with Compliments by order

Returned with compliments.

The reduction proposed by the Chief Engineer in the case of the new Palace Office Block may be accepted as well as the suggestion to grade the temples

6425

G R S III 2]

WD 2810—GPB—10 000—31 5 24

General and Revenue Secretariat.

New File No 11x of 1923

Serial No

4) The free allowance sanctioned already for the New Palace, Fort, Mysore, viz , 360,000 gallons per mensem has now to be increased This figure was fixed arbitrarily as at that time no metre was fixed there and the actual consumption could not be correctly gauged Recently the Water Supply Department have fixed a metre and sent in a bill for excess consumption for the quarter ending 31-3-1924 which showed the average monthly consumption to be 1200 000 gls. It was pointed out to the Assistant Engineer, Vani Vilas Water Works Department in this office letter No 117 8-7-1924 (copy enclosed for reference) that the bills seemed to include water consumed not only in the Palace but also in the adjoining garden maintained by the Gardens De--partment and he was asked to install a separate metre for the Palace and intimate the average monthly consumption No reply has been received yet In view of these facts, the figure sanc--tioned for the New Palace has to be revised in consultation with the Chief Engineer It is believed that the average consumption will be between 800,000 to 100 0000 gallons per month

J Mayagopal

For Huzur Secretary

AN S OFFICE.
6 SEP 1924
o 1970

Note.—Contn. sheet

6)

Letter No 117 dated the 8th July 1924 sent to the Assistant Engineer, Vani Vilas Water Works Department, Mysore -

---

Reference - His letter No 106 dated 22-5-1924 forwarding bills amounting to Rs 3,630-8-0 for excess consumption of water in the Fort Palace during the quarters ending - 31-12-23 and 31-3-1924

With reference to the above, has the honour to state that the bills in question seem to include the charges for the water consumed by the Fort Chaman also As this is under the Govern--ment Gardens department, the charges therefor should be ex--cluded from the bills under reference He I therefore re--quested to install a separate metre, to register Palace con--sumption only, leaving out the Government Garden consumption in the Palace alone

The bills under reference are returned herewith

COPY

[S. R. S. III-2]

WD 2510—GPP—10,000—31 5-24

General and Revenue Secretariat | File No. | of 19

Serial No

Mw 235



1) Forwarded unofficially to the Chief Engineer of Mysore for favour of opinion on the remarks of the Dewan Secretary

22/9/24

by order
for Secretary

Le Fleck -

2) 23/24/9/24

Mw 8747
11-12-24

3) Returned, with compliments to the Secretary to Government, Local and Legislative Departments.

2. The actual consumption in the New Palace cannot be gauged, as only one meter was installed to gauge both Palace and Flag Staff garden consumption.

3. A separate meter has since been installed for the latter, and after gauging for three months, a definite reply will be given.

Jas Black
10-12-24.
Chief Engineer of Mysore.



V.W.C.

4) Submitted with regret to Dewan Sahib

Dewan

NOTE—Contd sheet

G.R.S. III-2]

File No. of 19

General and P[illegible] Secretan.

Serial No.

26) A reply may be sent at the end of March and the matter settled finally

18 JAN 1925

27) The Chief Engineer may be reminded of this by the 15th week of March that may be kept in view

15/1

28) This file may be sent to the chief Engineer unofficially, for a note with reference to paras 24 and 26 Resolution / with reference to para 27 Resolution

Post 5/3/25

29) Forwarded unofficially to the Chief Engineer of Goa for favour of reply with reference to para 3 of the unofficial letter dated 10/1/25.

6/3/25

By order
for Secretary to Government

210 1 - 35 - 7 3 -

NOTE—Contn. Sheet

E20

APP F III—21

General and Revenue Secretariat.

43149 File No. of 19

Allowance of water to Palace premises

Serial No.

G.O No 120 P.W.D. 23/4/25.

GENL. & I. 23 APR 1925 G.D. SECTION

30) Returned, with compliments, to the Secretary to Government, Local and Legislative Departments.

2. A copy of the statement showing the consumption of water in the Palace in Mysore Fort and Flag Staff Gardens separately is herein enclosed.

3. - It will be seen therefrom that the consumption for 3 months varies considerably. I consider it necessary to get consumption for another three months and obtain a fair average before fixing up the minimum.

24/4/25
Chief Engineer of Mysore.

V.N.S.

31) Subject matter of reference 6 para 26 supra

BBB 23/4/25 HHK 23-4-25

32) Papers

33) To record.

29 APR 1925 8098

34) Returned herewith

29/4/25

NOTE—Cover Sheet

File No. of 19 General and Revenue Secretariat.

Serial No.

statement of consumption of water.

No.	Name.	January 1924	February 1924	March 1924	January 1925	February 1925	March 1925	Remarks.
1.	Palace in Fort	1,405,900 (Included consumption in Flag staff Garden)	1,237,700	1,265,000	970,000	1,367,300	1,035,600	
2.	Flag staff Gardens				389,700	270,600	175,600	

Bangalore,
April 1925.

Chief Engineer of Mysore.

Council and Revenue Secretaries.

File No. 148 of 1925

Serial No.

REV SECTION 21 JUL 1925 G P SECTION

10 20 358

7 7 25

37 With reference to paras 32 and 33. The maps are forwarded to the Chief Engineer unofficially. For paras 1 & 2 reply, which as for para 3 & his unofficial note (dated 22-6-25

4/7/25 HMK 7/7/25 HMK

7/7/25 HMK Forwarded unofficially to Chief Engineer of Mysore for para 1 & 2 a report recommendation on the matter required

4/7/25

By order
Secretary to Government

O No 163 PWD 25

37 Returned with compliments-

2 The total quantity of water consumed in the New Palace, Fort, Mysore, is 6,960,900 gallons from 1st January to end of June 1925, as noted in the margin The average quantity of water consumed per month comes to 1160,150 gallons against which 1,000,000 gallons may be fixed as free allowance in place of 360,000 gallons sanctioned in G.O.No.L.6830-6/M.80-21-5 dated the 22nd May 1922.

January 1925-	970,000	gallons
February 1925	1,347,000	"
March 1925	1,035,600	"
April 1925	810,300	"
May 1925	1,470,100	"
June 1925	1,327,600	
Total for 6 months	6960,900	gallons
Average per month	1160,150	gallons.

Bangalore,
July 1925.

Chief Engineer of Mysore.

G.R & 111-27

WD 2119—GPS—10,000 7 1-25

File No

of 19

General and Revenue Secretariat.

Serial No.

Negs—Cents. Sheet

General and Revenue Secretariat | File No. | of 19

Serial No.

Flag D

18/ Government have in their Order No I - 6280-6/M1 89-21-5, dated the 22nd May 1922 approved of two lists of Palace buildings (i) list A showing the names of buildings, the excess water charges thereof being debited to general administration and showing also the extent of free water allowable therefor and (ii) list B showing the names of Palace buildings the excess water charges thereof being debited to tenants or departments concerned, and the quantity of free water allowable therefor.

19/ The Huzur Secretary has sent up for adoption in place of the existing lists revised lists of these buildings in accordance with the procedure said to have been adopted in regard to supply of electrical energy, showing also the extent of free water supply to be allowed to the buildings. While agreeing to the list B, the P W D Secretary in agreement with the Chief Engineer was of opinion that certain temples (Items 46, 47, 48 and 49) included in the list A, might be omitted therefrom, as water is given free to them and that the allowance in regard to Palace Office Blocks might be fixed at 125,000 gallons as proposed by the Huzur Secretary, the arrangement being given effect to from 1st July 1924.

Flag A-A No

Flag C

20/ The Huzur Secretary who was unofficially consulted agreed to the same, but asked that the free allowance of 360,000 gallons allowed to the New Palace in the Fort might be revised in consultation with the Chief Engineer as according

NOTE—Contn. Sheet

to the Water Supply Department for the quarter ending 31st March 1924, the actual consumption shown was 13,00,000 gallons and the average consumption might be reduced to 10,00,000 gallons after installing a separate metre and gauging -- consumption the Chief Engineer is of opinion that the fixed allowance in this case might be raised from 3,60,000 gallons to 10,00,000 gallons -- Orders may perhaps be issued accordingly

Serial No.

Vide para 3) Memo

Cont I

(4) In his letter of 7th July 1925 the Huzur Secretary has asked that the New Palace Office buildings which were in the Order of January 1925 included in the list B, should be included in -- List A He has already included this building in list A This will be allowed to stand

P N O II

Cont II.

L Wells) 28/1579

(4) The question relates to the adoption of new basis of Palace Buildings in lieu of old basis referred to in G O dated 22 8 1922 for the purpose of calculating water supply charges

(3) The basis may perhaps be approved with the modification suggested by the Chief Engineer fixing 10,00,000 gallons for the New Palace Buildings to consume of items Nos 46 to 47, from List A

(4) The inclusion of the Palace office block in List A instead of List B, may also be approved

Dawan (5) Recommended 16/9

Approved 18 10 24

DEWAN'S Camp
Rec'd on 19 SEP 1925
Reg. No 2125

NOTE—Contn. Sheet

File No.

1 of 19

Ser No

A draft G.O as per para 4 is put up

is put up

OFFICE
OV 1925

G.H.Q. 1111-67

WD 2119—GPS—10.0[illegible]-37-4

File No. of 19

General and Reverts Secretariat.

Serial No.

General & Revenue Secretariat | File No. 1661 of 192

Serial No 4

d 3640-3 25/11/25
The Hydraulic Engr to H.A the Manager
The Engr P.W. Dept.
The Chief Engineer
The Comptroller
Approves the proposal of the
Hydraulic Engr to fix the two
heads & Cattails Suggested by the
Chief Engineer

REVD. 2nd NOV. 1925

A [illegible]—[illegible]—[illegible]

File No. [illegible]

Serial No.

16(1)

Proceedings of the Government of His Highness

the Maharaja of Mysore.

Public Works Department.





Read:-

(1) G.O. No. 3874-93/ F. 177-1 -1 dated 11th November 1915 passing orders in the matter of the exemption of Palace properties from taxation under certain regulations and rules.

(2) G.O. No. 1473-91/P.W.D. 9170-93 dated 15th November 1915 passing orders in the matter of recovery of excess water charges in the case of public institutions in the cities of Bangalore and Mysore and directing that the water-supply concerns in these cities should be treated on a commercial basis.

(3) Correspondence ending with letter No. 15695 dated 22nd May 1924, from the Chief Engineer of Mysore recommending for reasons therein given that the maximum free allowance of water in respect of the Cholurpalya Villas at Mysore might be fixed at 150000 gallons per month.

Order No. P.W. 608-9 Public Bangalore, 16th August 1924.

Government are pleased to direct that the free allowance of water in respect of the Cholurpalya Villas at Mysore be fixed at 90,000 gallons per month.

Sd/- K. R. Rohardan

Secretary to Government.

To

The Chief Engineer, Public Works Department.

The Palace,
Mysore 21st May 1924.

THE HUZUR SECRETARY
TO HIS HIGHNESS THE MAHARAJA OF MYSORE.

To
K. Matthan, Esq., B.A.,
Chief Secretary to the Government of
H.H.the Maharaja of Mysore, Bangalore.

Sir,

In inviting reference to Government Order No.L 6820-6/Ml.89-21-5 dated the 22nd May 1922 and the lists appended thereto regarding the procedure to be adopted with regard to the free allowance of water or payment of excess water charges in respect of certain Palace properties, I have honor to state that a number of Palace buildings which should have been included in the lists have been omitted therefrom. Moreover, since the issue of the order, a large number of changes have occurred in the use of the buildings referred therein. I enclose herein revised and up-to-date lists of Palace buildings The classification of the buildings now is in accordance with the procedure followed in re of electrical energy under Government Order No.18800-5 18-4 of the 16th February 1920. I have the honor to request you will be so good as to obtain early sanction of Govt for the adoption of these lists in lieu of the ones appended to the Government Order referred to above so that the claims of Water Works department for excess water charges pending for a long time may be disposed of soon

I have the honor to be,
Sir,
Your most obedient servant,
For Huzur Secretary.

VGB

No. 2795

The Palace,

Mysore 15th February 1925.

From

The Huzur Secretary

To His Highness the Maharaja of Mysore.

15 FEB 1925 R D SECTION

The Secretary to the Government of Mysore,

Local and Legislative departments,

Bangalore.

Sir,

I have the honor to invite reference to this Office No.3769 dated the 21st May 1924 and subsequent reminders thereto in the matter of the revision of the list of Palace Buildings for the purpose of regulating the excess water charges consumed therein and to request that you will be so good as to obtain the sanction of Government early so that the arrear claims of the Water Works department for excess charges pending for a long time may be disposed of without further depay

I have the honor to be,

Sir,

Your most obedient servant,

For Huzur Secretary.

HMB

19

G R S. VI—G/82]

SUBJECT.. .....

Diary No. of letter replied to 5262

General and Revenue Secretariat
(14?)
, the 191

Date of issue 3-3-1925

Signed by mr. D. H. S. Dyer

Section WP
File No ~~14 S 23~~
Serial No 2

No. C 6400

To

The Surgeon Lieut Mysore

Sir

With reference to your letter No 2795 dated 14-2-25 in Re Collection of the cost of Palace Building for the purpose of regulating the excess water charges consumed thereon I am directed to state that the Chief Engineer has reported to Govt that the actual consumption in the New Palace Cadd Extn not be gauged as only one water boy

[illegible]

IN 11578

installed in garage both
palaces and Flag & staff garrison
Commandant and that a
separate water [illegible] since installed
for the latter and alternating
for three months (from December next)
a definite reply will be given
[illegible] after
I am to add that
reply from home. The matter
on receipt of a similar reply from the Chief Engineer
will be disposed of here and the
orders will be communicated to
by you

I have etc

Lt Col Secy to Govt

List of enclosures.

Lt Col Secy to Govt
Copy to the Chief Engr
Telephone. [illegible]
for information

Copied by

Examined by

Lt Col Secy

3670

No. [illegible]

The Palace,

Mysore 25th April 1925.

From

The Huzur Secretary.

To His Highness the Maharaja of Mysore.

GENL. & REV. SECTT. Dn. 27 APR 1925 To SECTION

GENERAL & REVENUE SECRETARIAT. 6815 27 APR 1925

The Secretary to the Government of Mysore,
Local and Legislative departments, Bangalore.

Sir,

I have the honor to invite reference to your No.L6400/ M1, 148-23-2 dated the 3rd March 1925, in the matter of the revision of the list of Palace buildings for the purpose of regulating the excess water charges consumed therein and to request that you will be so good as to obtain the sanction of Government early so that the arrear claims of the Water Works department for excess water charges pending for a long time may be disposed of without further delay.

I have the honor to be,
S i r,
Your most obedient servant,
For Huzur Secretary.

VGR

The file relating to the above subject, was submitted to Sri Aram today, with the reply of the Chief Engineer in the matter.

This will enable it to return if called for.

Kept ready to the Huzur Secy, as per [illegible] and orders at page [illegible]



DEWAN'S OFFICE
15 MAY 1925
Reg. No

No. 410 48961

THE PALACE, 24

MYSORE 1st JUNE 1925

FROM

THE HUZUR SECRETARY

TO HIS HIGHNESS THE MAHARAJA OF MYSORE.

To

The Secretary to the Government of Mysore,
Local & Legislative Departments,
Bangalore

Sir,

I have the honour to invite reference to this office No 3546 dated the 25th April 1925 in the matter of t h e revision of the list of Palace Buildings for the purpose of regulating the excess water consumed therein and to re--quest that you will be so good as to obtain the sanction of Government early so that the arrear claims of the Water Works Department for excess water charges pending for a longtime may be disposed of without further delay

I have the honour to be,
Sir,
Your most obedient servant,
For Huzur Secretary

App.F VI-G1.]

SUBJECT _____

Section Mal

File No. ~~H8-23~~

Serial No. 3

Diary No of letter replied to 6815

No. 8673

General and Revenue Secretariat

(189)

the 192

To The Manager Loop to H.H.

Sir,

Date of issue 6/6/25

Signed by [illegible]

With reference to your letter No. 3546 & 26.6.25 in the subject noted in the margin regarding the excess water charges consumed thereof, I am directed to state that the Chief Engineer has reported that the consumption of the Varied considerably and that he considers it necessary to get consumption for another three months, after which an average [illegible]

List of enclosures

Copied by

Examined by

over

minimum

I can't add that
final rebut will be moved
is subject on receipt of the
final reply from the chief
Supp ~~and clearly communicated~~
hopes.

I have ck
Pentz

BOB
9/9

In keeping w/ file

HM
11 525

01219

No 58

The Palace,

Mysore 6th July 1925

From

T THUMBOO CHETTY, Esq., B.A.,

Huzur Secretary to His Highness

the Maharaja of Mysore

3 JUL 1925 C D SECTION

GENERAL & REVENUE 1912 - 9. JUL. 1925

The Secretary to Government,

Local and Legislative departments,

Bangalore.

Ml 72-25—1

Sir,

Adverting to Government Proceedings No. L.9114-18/M1. 154-24-6 dated the 27th June 1925 in the matter of fixing the free - allowance of 1,25,000 gallons per mensem for the new Palace Offices Building and including the same as serial No 47 in the statement "B" appended to the Government Order No. L 6820-6/M1.89-21-5 dated the 22nd May 1922, I have the honor to state that this building is not one to be included under the list "B" but it is one to be - inserted under the list "A" as excess water charges require to be debited to Government under General Administration.

In this connection, I request you to be so good as to - obtain the sanction of Government to adopt the revised lists sent with this Office No 3769 dated 21-5-1924 in lieu of the ones - appended to the Government order passed in May 1922

I have the honor to be,

S i r,

Your most obedient servant,

T. Thumboo Chetty

Huzur Secretary.

PROCEEDINGS OF THE GOVERNMENT OF
HIS HIGHNESS THE MAHARAJA OF MYSORE
----oOo----

R E A D -

May 2-25-4

1 G O No L 6820-6/Ml 89-21-5, dated 22-5-1922 and the lists appended thereto, regarding the procedure to be adopted with regard to the free allowance of water or payment of excess water charges in respect of certain Palace properties

2 Letter No 3769, dated 21-5-24 from the Huzur Secretary to H H the Maharaja of Mysore, stating that a - - number of Palace Buildings which - - should have been included in the lists referred to in the Government Order -- dated 22-5-1922 have been omitted - - therefrom and that a large number of - changes have occurred since the issue of the said G O in the use of the - - said building and forwarding for sanction a revised and up-to-date lists of Palace buildings classified in accordance with the procedure followed in -- respect of electrical energy supplied under G O No G18800-5/P P 203-18-4, - dated 16-2-1920

3 G O No L 9114-18/Ml 154-24-6 dated 27-6-1925 in the matter of fixing the free allowance of 1,25,000 - - gallons per mensem for the New Palace Offices Building

4 Letter No 4058 dated 7-7-1924 from the Huzur Secretary to H H the

Maharajah stating that the New Palace Offices building referred to in the - G O dated 27-6-1925 read above is -- not one to be included under the list "B" but it is one to be inserted under the list "A" as excess water - - charges require to be debited to Government under General Administration and requesting sanction for necessary alterations in the lists

---

Order No A 3640-3

Bangalore, 20 November 25

Government have in their order - No L 6280-6/M1 89-21-5, dated the -- 22-5-1922 approved of two lists of -- Palace Buildings (i) List A showing - the names of buildings, the excess -- water charges thereof being debited - to General Administration and showing also the extent of free water allowable therefor and (2) list B showing the names of Palace buildings the excess water charges thereof being debited to tenants or departments concerned and the quantity of free water allowable therefor

2 The Huzur Secretary has sent up for adoption revised lists of these buildings in accordance with the procedure said to have been adopted in - regard to supply of electrical energy in accordance with G O No G 18800-5/P P 203-18-4, dated 16-2-1920, - -

showing also the extent of free water supply to be allowed to the buildings

3 Government are pleased to approve of the proposals of the Huzur Secretary, with the two modifications suggested by the Chief Engineer, viz , (1) the free allowance of the Fort Palace in Mysore will be raised from 360,000 gallons to 400,000 gallons and (2) the 4 temples, items 46 to 49 included in list B, will be omitted as water is given free to them under G O No A 1862-9/M-14-10-6 dated the 6th February 1920 The inclusion of the New Palace as proposed by the Huzur Secretary in list A instead of B is also approved The lists A and B as now revised are appended to this order

09.10

To L & L Secy , to Government

The Huzur Secy , to H H the Maharaja of Mysore

The Secy , Public Works Dept

The Ch Engineer of Mysore

The Comptr , to Govt

B W M

"A"

Revised List showing the buildings in respect of which the excess water charges are to be debited to General Administration through the agency of the Electrical Engineer.

No.	Name of buildings	Approximate rental value	Approximate free allowance.	
1	The Fort Palace, Mysore.	307-	10,00,000 gallons.	
2	Lokaranjan Mahal.	500/-	3,00,000	do
3.	Jaganmohan Palace.	500/-	30,000	do
4	Vasantha Mahal.	400/-	25,000	do
5.	Lalithadri	140/-	30,000	do
6.	Chamundi Vihar	.	1,20,000	do
7	Race Course.	250/-	45,000	do
8.	Motor Garage Stores	70/-	15,000	do
9.	Palace Stables.	500/-	50,000	do
10	Body Guard blocks.	300/-	1,50,000	do
11	Barudkhana in Nazarbad	30/-	10,000	do
12	Band Store Pavilion.	200/-	40,000	do
13	The Palace Bangalore.	500/-	1,00,000	do
14	The Jaya Lahal "	75/-	15,000	do
15	Beaufort. "	75/-	15,000	do
16	Granite Castle. "	75/-	15,000	do
17	Zoological Gardens, Mysore.	400/-	1,00,000	do
18	Palace Dispensary.	200/-	15,000	do
19	Neshat Bagh.	50/-	30,000	do
20	Palace Nursery	50/-	15,000	do
21	Motor Garage	400/-	30,000	do
22	Palace Laundry	75/-	15,000	do
23	Palace Modikhana buildings.	550/-	20,000	do
24	Vani Vilas Ursu Girls' School	175/-	30,000	do
25	Gun Shed	75/-	10,000	do
26	Bullock Karobatti	75/-	30,000	do
27	Sri Krishnarajendra Dharmasala	150/-	30,000	do
28	Maharaja's Sanskrit College.	250/-	50,000	do
29	Maharaja's Feeding Chattram.	150/-	30,000	do
30	Sri Chamarajendra Ursu Boarding School.	250/-	Transferred to the regular list as per Govt order No. 1425 Miscl. 34-35 dated 2-10-35 for Rs. 250 per mensem.	
31	Rama Mandir, Viceroy Road	80/-	15,000	do
32	High View, Yelwal Road.	200/-	40,000	do

No.	Name of buildings.	Approximate rental value	Approximate free allowance.	
33	Sithavilas Dharmasala.	200/-	40,000	gallons
34	Maramath Stores & Workshop	75/-	15,000	do
35	Engine House, Fort	75/-	15,000	do
36	Mosque in Eastern Extension	50/-	10,000	do
37	Bandsmen's Lines of houses behind Chamundi Vihar.	50/-	10,000	do
38	Amaldevathamma's Temple Fort.	30/-	6,000	do
39	Anjaneya Temple near Karanji tank with a separate tiled shed to serve as kitchen.	35/-	7000	do
40	New Arsenal in Hosoorumma's Chattram at the foot of the Chamundi Hill.	60/-	12,000	do
41	New Palace Offices.	3151/-	~~1,25,000~~	do
42	Manoranjan Mahal.	200/-	40,000	do
43	Bloom Field Nazarbad.	60/-	12,000	do
44	Mortar Mill Shed below Doddakere Tank	50/-	10,000	do
45	Timber Yard opposite to Madhuvana	35/-	7,000	do
~~46~~	~~Sri Prasanna Krishna Swamy Temple~~	~~50/-~~	~~10,000~~	~~do~~
~~47~~	~~Sri Varahaswamy Temple.~~	~~50/-~~	~~10,000~~	~~do~~
~~48~~	~~Sri Trineswara Swami Temple.~~	~~50/-~~	~~10,000~~	~~do~~
~~49~~	~~Sri Venkataramanaswamy Temple.~~	~~50/-~~	~~6,000~~	~~do~~
50	Old Race Course Bungalow	100/-	20,000	do

For Huzur Secretary

Palace, Mysore.

15th May 1924.

WGB

****

N.B 1. If any of the buildings in this list is converted into a residential quarter at any time, then the tenant thereof will pay the excess water charges.

2 Revised list of Palace buildings brought up to date will be sent to the Chief Engineer & to the Comptroller every year.

II

"B"

evised list showing the buildings in respect of which the excess water charges are to be borne by tenants or departments concerned.

No.	Name of buildings	Approximate rental value	Approximate free allowance.
1.	Rana Terrace, Nazarbad	150/-	30,000 gallons.
2.	Croton Lodge.	60/-	12,000 do
3	Hill View.	50/-	10,000 do
4.	Motor Chauffeurs' quarters 9 in number near Motor Garage	15/- each or 135/- from	4,000 do each
5.	Palm Cottage.	40/-	8,000 do
6.	The Nest	35/-	7,000 do
7.	Bijou Villa.	35/-	7000 do
8.	Coachmen s Houses (six houses)	20/- each	4,000 do each house.
9	Home Craft.	60/-	12,000 do
10.	Rukmalaya.	70/-	14,000 do
11	Retreat	60/-	12,000 do
12	Caladium Villa	60/-	12,000 do
13	St. Quentine.	60/-	12,000 do
14	Aswatha Villa.	60/-	12,000 do
15	Six cottages near Chamundi Vihar		
	(a) Shanti Bhavan.	35/-	7,000 do
	(b) Jasmine Villa	35/-	7,000 do
	(c) York Cottage.	35/-	7,000 do
	(d) Dilkush.	45/-	9,000 do
	(e) Burkhat Mansil.	50/-	10,000 do
	(f) Cottage occupied by Mr Hunt	55/-	11,000 do
16	Four Cottages in Eastern Extension		
	(a) Kismath.	75/-	15,000 do
	(b) The Rumble.	45/-	9,000 do
	(c) Sunny Side	45/-	9,000 do
	(d) Mount View.	60/-	12,000 do
17	Bungalow in Eastern Extension	40/-	8,000 do
18	Stable Officials quarters 4 houses near Garage.	35/- each	7,000 do each house
19	2 houses opposite to Gajasala	20/- do	4,000 do do
20	2 houses opposite to Gopalakrishna-Swamy Temple.	50/- do	10,000 do do
21	Cottage of Asst Director of Music near Bandsmen's Lines	25/-	5,000 do
22	Indian Nurses quarters near old Body Guards.(Grace cottage)	30/-	6,000 do

Palace, Mysore,
15-6-1924
VGR

For Huzur Secretary

*****